

### **IECEx Certificate** of Conformity

### INTERNATIONAL ELECTROTECHNICAL COMMISSION **IEC Certification System for Explosive Atmospheres**

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEx QPS 21.0015X** Page 1 of 3 Certificate history:

Current Issue No: 0 Status:

Date of Issue: 2022-05-19

Applicant: **Teledyne Analytical Instruments** 

16830 Chestnut St., City of Industry ,CA 91748

**United States of America** 

Water in Oil Monitor Equipment:

Optional accessory:

Type of Protection: "d"

Marking: IECEx QPS 21.0015X

Ex db IIC T4 Gb

Approved for issue on behalf of the IECEx Certification Body:

D, Adams, P.Eng.

Position:

Manager, Hazardous Locations Department [Ex Equipment]

Signature:

(for printed version)

(for printed version)

- This certificate and schedule may only be reproduced in full.
   This certificate is not transferable and remains the property of the issuing body.
   The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.



Certificate issued by:

**Evaluation Services Inc.** 81 Kelfield St Unit 8 Toronto, Ontario M9W 5A3 Canada





# IECEx Certificate of Conformity

Certificate No.: IECEx QPS 21.0015X Page 2 of 3

Date of issue: 2022-05-19 Issue No: 0

Manufacturer: Teledyne Analytical Instruments

16830 Chestnut St., City of Industry, CA 91748

**United States of America** 

Manufacturing Teledyne Analytical Instruments

locations: 16830 Chestnut St., City of

Industry ,CA 91748
United States of America

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

#### STANDARDS:

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

IEC 60079-0:2017 Explosive atmospheres - Part 0: Equipment - General requirements

Edition:7.0

IEC 60079-1:2014-06 Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d" Edition:7.0

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

#### **TEST & ASSESSMENT REPORTS:**

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Report:

CA/QPS/ExTR21.0013/00

**Quality Assessment Report:** 

GB/BAS/QAR12.0008/07



# IECEx Certificate of Conformity

Certificate No.: IECEx QPS 21.0015X Page 3 of 3

Date of issue: 2022-05-19 Issue No: 0

#### **EQUIPMENT:**

Equipment and systems covered by this Certificate are as follows:

The 5650 series is a Water in Oil Monitor which measures water concentration in oil.

Model Nomenclature:

5650-

Where:

#### A=Mount

- · F- Flange
- S- Threaded
- · I- Welded
- · T- Welded

#### BB=Enclosure Type

- 9080AM-IME 9080Aluminum ExD
- 9080WM- IME 9080 Aluminum ExD with Window
- 9080TM- IME 9080 SS316L ExD Blind
- · 9080SM- IME 9080 SS316L ExD with Window

#### CC= Cable Entry

- 07-3/4" NPT
- 08- 1/2" NPT
- 09- M20 x 1.5
- 32- M25 x 1.5

# denotes options not affecting Ex compliance

#### SPECIFIC CONDITIONS OF USE: YES as shown below:

- 1. Read and follow the installation instructions
- 2. Maximum process temperature is 130°C
- 3. Due to the risk of static charges, clean surface of the equipment using a damp cloth.
- 4. The enclosure housing service temperature range should not exceed from -40°C to +76°C.
- 5. Entry devices with thread type other than metric or NPT are not permitted.
- 6. Regardless of the type of mounting it is required to ensure that the line bushing is secured against twisting or loosening.